#### 10517873

#### INVENTOR SEARCH

=> d ibib abs hitstr 17 1-2

L7 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2007 ACS on STN ACCESSION NUMBER: 2003:1006677 HCAPLUS  $\underline{\text{Full-text}}$ 

DOCUMENT NUMBER: 140:24500

TITLE: Cyclohexanedione herbicide composition comprising an

organic phosphate adjuvant

INVENTOR(S): Piper, Catherine Julia; Stock, David
; Hall, Gavin John; Sutton, Peter

Bernard

PATENT ASSIGNEE(S): Syngenta Limited, UK SOURCE: PCT Int. Appl., 21 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

	PAI	ENT 1	NO.			KIND DATE			APPLICATION NO.							DATE			
	WO	2003	 1055	 89		A1 20031224				 WO 2	003-		20030604						
		W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	BZ,	CA,	CH,	CN,	
			CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	ES,	FΙ,	GB,	GD,	GE,	GH,	
			GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	KP,	KR,	KΖ,	LC,	LK,	LR,	
			LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MΖ,	NO,	NZ,	OM,	PH,	
			PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	ΤJ,	TM,	TN,	TR,	TT,	TZ,	
			UA,	UG,	US,	UΖ,	VC,	VN,	YU,	ZA,	ZM,	ZW							
		RW:	GH,	GM,	ΚE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	ΑM,	ΑZ,	BY,	
			KG,	KΖ,	MD,	RU,	ТJ,	TM,	ΑT,	BE,	ВG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	
			FΙ,	FR,	GB,	GR,	HU,	ΙE,	ΙΤ,	LU,	MC,	NL,	PT,	RO,	SE,	SI,	SK,	TR,	
			BF,	ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,	GQ,	GW,	ML,	MR,	ΝE,	SN,	TD,	ΤG	
	CA	2484	544			A1		2003	1224		CA 2	003-	2484	544		2	0030	604	
,	AU	2003	2329	35		A1		2003	1231		AU 2	003-	2329	35		2	0030	604	
	BR	2003	0117	17		Α		2005	0301		BR 2	003-	1171	7		2	0030	604	
	EΡ	1515	608			A1		2005	0323		EP 2	003-	7277	34		2	0030	604	
		R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
			ΙE,	SI,	FΙ,	RO,	CY,	TR,	BG,	CZ,	EE,	HU,	SK						
	CN	1658	756			Α		2005	0824		CN 2	003-	8135	21		2	0030	604	
	JΡ	2005	5291	74		T		2005	0929		JP 2	004-	5125	08		2	0030	604	
	ZΑ	2004	0085	10		Α		2005	1013		ZA 2	004-	8510			2	0041	020	
	US	2005	0962	26		A1		2005	0505		US 2	004-	700			2	0041	201	
	US 2005202975					A1		2005	0915		US 2	004-	5178	73		20041213			
PRIOR	ITY	APP	LN.	INFO	.:						GB 2	002-	1363	8		A 2	0020	613	
											WO 2	003-	GB24	28	,	W 2	0030	604	

OTHER SOURCE(S): MARPAT 140:24500

AB A herbicidal composition comprising a 2-(substituted benzoyl)-1.3-cyclohexanedione, preferably mesotrione, and an organic phosphate, phosphonate or phosphinate adjuvant at a concentration of <0.5% volume/volume when added to a spray tank as a tank mix additive or when co-formulated with a herbicide to produce a spray tank concentration of <0.5% volume/volume, is disclosed.

IT 99105-77-8 104206-80-6 104206-82-8, Mesotrione

126070-60-8 145665-36-7 634187-29-4

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (cyclohexanedione herbicide composition comprising an organic phosphate adjuvant)

RN 99105-77-8 HCAPLUS

CN 1,3-Cyclohexanedione, 2-[2-chloro-4-(methylsulfonyl)benzoyl]- (9CI) (CA INDEX NAME)

RN 104206-80-6 HCAPLUS

CN 1,3-Cyclohexanedione, 4,4-dimethyl-2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (9CI) (CA INDEX NAME)

RN 104206-82-8 HCAPLUS

CN 1,3-Cyclohexanedione, 2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (9CI) (CA INDEX NAME)

RN 126070-60-8 HCAPLUS

CN 1,3-Cyclohexanedione, 2-[4-[(methylsulfonyl)oxy]-2-nitrobenzoyl]- (9CI) (CA INDEX NAME)

RN 145665-36-7 HCAPLUS

CN 1,3-Cyclohexanedione, 2-[2-chloro-3-ethoxy-4-(ethylsulfonyl)benzoyl]-5-

methyl- (9CI) (CA INDEX NAME)

RN 634187-29-4 HCAPLUS

CN 1,3-Cyclohexanedione, 2-[2-chloro-3-ethoxy-4-(methylsulfonyl)benzoyl]-5-methyl- (9CI) (CA INDEX NAME)

IT 78-42-2, Tri(2-ethylhexyl) phosphate 126-63-6,

Bis(2-ethylhexyl)-2-ethylhexyl phosphonate 126-73-8, Tributyl

phosphate, biological studies

RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL

(Biological study); USES (Uses)

(cyclohexanedione herbicide composition comprising an organic phosphate adjuvant)

RN 78-42-2 HCAPLUS

CN Phosphoric acid, tris(2-ethylhexyl) ester (7CI, 8CI, 9CI) (CA INDEX NAME)

RN 126-63-6 HCAPLUS

CN Phosphonic acid, (2-ethylhexyl)-, bis(2-ethylhexyl) ester (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

RN 126-73-8 HCAPLUS

CN Phosphoric acid tributyl ester (8CI, 9CI) (CA INDEX NAME)

14265-44-2, Phosphate, uses 15477-76-6, Phosphonate

RL: MOA (Modifier or additive use); USES (Uses)

(organic; cyclohexanedione herbicide composition comprising an organic phosphate

adjuvant)

14265-44-2 HCAPLUS RN

Phosphate (8CI, 9CI) (CA INDEX NAME) CN

RN 15477-76-6 HCAPLUS

Phosphonic acid, ion(2-) (8CI, 9CI) (CA INDEX NAME) CN

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2003:1006676 HCAPLUS Full-text

DOCUMENT NUMBER: 140:24499

TITLE: Safened herbicidal compositions based on chelated

benzoylcyclohexanedione derivatives

INVENTOR(S): Piper, Catherine Julia; Stock, David

; Hall, Gavin John; Sutton, Peter

Bernard

PATENT ASSIGNEE(S): Syngenta Limited, UK SOURCE: PCT Int. Appl., 20 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003105588	A1	20031224	WO 2003-GB2423	20030604

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG 20031224 CA 2003-2480898 CA 2480898 Α1 20030604 AU 2003-240070 AU 2003240070 Α1 20031231 20030604 BR 2003-9414 EP 2003-732684 BR 2003009414 20050201 20030604 Α EP 1515609 Α1 20050323 20030604 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK US 2004-517872 US 2005202972 A1 20050915 20041213 GB 2002-13654 PRIORITY APPLN. INFO.: A 20020613 W 20030604 WO 2003-GB2423

OTHER SOURCE(S): MARPAT 140:24499

- AB A novel herbicidal composition comprising a metal chelate of a 2-(substituted benzoyl)-1,3-cyclohexanedione (Markush given) and an organic phosphate, phosphonate, or phosphinate adjuvant shows improved activity with little or no increase in crop damage. Thus, mesotrione copper salt + 0.5% tri-Bu phosphate sprayed at 320 g/ha gave 97% control of Echinochloa crus-galli with no damage to two maize varieties.
- IT 78-42-2D, Tri(2-ethylhexyl) phosphate, mixture with mesotrione
   copper salt 126-63-6D, Bis(2-ethylhexyl)2-ethylhexyl
   phosphonate, mixture with mesotrione copper salt 126-73-8D,
   Tributyl phosphate, mixture with mesotrione copper salt
   RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL
   (Biological study); USES (Uses)
   (safened herbicidal composition)

RN 78-42-2 HCAPLUS

CN Phosphoric acid, tris(2-ethylhexyl) ester (7CI, 8CI, 9CI) (CA INDEX NAME)

RN 126-63-6 HCAPLUS

CN Phosphonic acid, (2-ethylhexyl)-, bis(2-ethylhexyl) ester (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

RN 126-73-8 HCAPLUS

CN Phosphoric acid tributyl ester (8CI, 9CI) (CA INDEX NAME)

99105-77-8D, metal chelates, mixts. with phosphates, phosphonates, ΙT and phosphinates 104206-80-60, metal chelates, mixts. with phosphates, phosphonates, and phosphinates 104206-82-8D, metal chelates, mixts. with phosphates, phosphonates, and phosphinates 126070-60-80, metal chelates, mixts. with phosphates, phosphonates, and phosphinates 145665-36-70, metal chelates, mixts. with phosphates, phosphonates, and phosphinates 634187-29-4D, metal chelates, mixts. with phosphates, phosphonates, and phosphinates RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses) (safened herbicidal compns.)

RN 99105-77-8 HCAPLUS

1,3-Cyclohexanedione, 2-[2-chloro-4-(methylsulfonyl)benzoyl]- (9CI) (CA CN INDEX NAME)

$$\bigcup_{0}^{\circ}\bigcup_{C_{1}}^{\circ}\bigcup_{C_{1$$

104206-80-6 HCAPLUS

1,3-Cyclohexanedione, 4,4-dimethyl-2-[4-(methylsulfonyl)-2-nitrobenzoyl]-CN (9CI) (CA INDEX NAME)

104206-82-8 HCAPLUS

1,3-Cyclohexanedione, 2-[4-(methylsulfonyl)-2-nitrobenzoyl]- (9CI) (CA CN INDEX NAME)

RN 126070-60-8 HCAPLUS

CN 1,3-Cyclohexanedione, 2-[4-[(methylsulfonyl)oxy]-2-nitrobenzoyl]- (9CI) (CA INDEX NAME)

RN 145665-36-7 HCAPLUS

CN 1,3-Cyclohexanedione, 2-[2-chloro-3-ethoxy-4-(ethylsulfonyl)benzoyl]-5-methyl- (9CI) (CA INDEX NAME)

RN 634187-29-4 HCAPLUS

CN 1,3-Cyclohexanedione, 2-[2-chloro-3-ethoxy-4-(methylsulfonyl)benzoyl]-5-methyl- (9CI) (CA INDEX NAME)

REFERENCE COUNT:

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

#### SEARCH IN REGISTRY, CAPLUS, USPATFULL

=> => d que stat 116 1 SEA FILE=REGISTRY ABB=ON 104206-82-8/RN L9 212 SEA FILE=HCAPLUS ABB=ON L8 185 SEA FILE=HCAPLUS ABB=ON L9 AND ?HERBICID? L10 L11 77 SEA FILE=HCAPLUS ABB=ON L10 AND ?WEED? 9 SEA FILE=HCAPLUS ABB=ON L11 AND ?APPL?(4A)?WEED? L13 7 SEA FILE=HCAPLUS ABB=ON L13 AND (PRD<20041213 OR PD<20041213) L14 L15 23 SEA FILE=USPATFULL ABB=ON L13 AND (PRD<20041213 OR PD<20041213 L16 30 DUP REMOV L14 L15 (0 DUPLICATES REMOVED)

=> d ibib abs 116 1-30

L16 ANSWER 1 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2006:282041 USPATFULL Full-text

TITLE: Herbicidal compositions

INVENTOR(S): Pallett, Ken, Konigstein, GERMANY, FEDERAL REPUBLIC OF

Slater, Ashley, Essex, UNITED KINGDOM

NUMBER KIND DATE \_\_\_\_\_\_ US 2006240984 A1 20061026 US 2006-475812 A1 20060627 (11) PATENT INFORMATION:
APPLICATION INFO.: Continuation of Ser. No. US 2002-49731, filed on 15 Feb RELATED APPLN. INFO.: 2002, ABANDONED A 371 of International Ser. No. WO

2000-EP9339, filed on 8 Sep 2000

NUMBER DATE \_\_\_\_\_ GB 1999-21220 19990908 GB 2000-12090 20000519 PRIORITY INFORMATION: <--<--DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION LEGAL REPRESENTATIVE: FROMMER LAWRENCE & HAUG, 745 FIFTH AVENUE- 10TH FL., NEW YORK, NY, 10151, US NUMBER OF CLAIMS:

33 1-22 EXEMPLARY CLAIM: LINE COUNT: 1549

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention provides a method of reducing phytotoxicity to crops (especially maize) caused by a herbicidal benzoylisoxazole and/or dione derivative of formula (I) or an agriculturally acceptable salt or metal complex thereof; which method comprises applying to the locus of the crop an antidotally effective amount of an antidote compound, optionally with a partner herbicide.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 2 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2006:248185 USPATFULL Full-text

TITLE: Method of controlling weeds

INVENTOR(S): Cornes, Derek, Basel, SWITZERLAND

Johnson, Michael Donald, Greensboro, NC, UNITED STATES

NUMBER KIND DATE

\_\_\_\_\_ US 2006211578 A1 20060921 PATENT INFORMATION:

APPLICATION INFO.: US 2004-560097 A1 20040607 (10)

WO 2004-GB2409 20040607

20060403 PCT 371 date

NUMBER DATE \_\_\_\_\_

GB 2003-14190 20030618 PRIORITY INFORMATION: <--

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: SYNGENTA CROP PROTECTION , INC., PATENT AND TRADEMARK

DEPARTMENT, 410 SWING ROAD, GREENSBORO, NC, 27409, US

DE1 18 NUMBER OF CLAIMS: EXEMPLARY CLAIM: 1
559

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A method for the season-long control of unwanted vegetation, said method comprising a single application of a herbicidal combination comprising a 2-

(substituted benzoyl)-1,3-cyclohexanedione or metal chelate thereof,

glyphosate or a salt thereof and an acetamide.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 3 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2005:234036 USPATFULL Full-text

TITLE: Compositions comprising a cyclohexanedione

herbicide and an adjuvant

INVENTOR(S): Stock, David, Berkshire, UNITED KINGDOM

Piper, Catherine Julia, Berkshire, UNITED KINGDOM

Hall, Gavin John, Berkshire, UNITED KINGDOM

Sutton, Peter Bernard, Berkshire, UNITED KINGDOM

NUMBER KIND DATE \_\_\_\_\_\_ PATENT INFORMATION: US 2005202975 A1 20050915 US 2003-517873 A1 20030604 WO 2003-GB2428 20030604 APPLICATION INFO.: A1 20030604 (10)

20030604

20041213 PCT 371 date

NUMBER DATE \_\_\_\_\_

PRIORITY INFORMATION: GB 2002-13638 20020613 <--

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: SYNGENTA CROP PROTECTION , INC., PATENT AND TRADEMARK

DEPARTMENT, 410 SWING ROAD, GREENSBORO, NC, 27409, US

NUMBER OF CLAIMS: 11
EXEMPLARY CLAIM: 1 LINE COUNT: 550

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A novel herbicidal composition comprising a 2-(substituted benzoyl)-1,3cyclohexanedione and an organic phosphate, phosphonate or phosphinate adjuvant at a concentration of less than 0.5% v/v when added to a spray tank as a tank mix additive or when co-formulated with a herbicide to produce a spray tank concentration of less than 0.5% v/v is disclosed.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 4 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2005:234033 USPATFULL <u>Full-text</u>

TITLE: Herbicidal composition

Piper, Catherine Julia, Berkshire, UNITED KINGDOM INVENTOR(S):

> Stock, David, Berkshire, UNITED KINGDOM Hall, Gavin John, Berkshire, UNITED KINGDOM

> Sutton, Peter Bernard, Berkshire, UNITED KINGDOM

NUMBER KIND DATE \_\_\_\_\_ US 2005202972 A1 20050915 US 2003-517872 A1 20030604 (10) WO 2003-GB2423 20030604 PATENT INFORMATION: APPLICATION INFO.:

20041213 PCT 371 date

NUMBER DATE \_\_\_\_\_

GB 2002-13654 20020613 PRIORITY INFORMATION: <--

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

DEPARTMENT, 410 SWING ROAD, GREENSBORO, NC, 27409, US
NUMBER OF CLAIMS: 12
EXEMPLARY CLAIM: 1

EXEMPLARY CLAIM: 1
LINE COUNT: 593

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A novel herbicidal composition comprising a metal chelate of a 2-(substituted benzoyl)-1,3-cyclohexanedione and an organic phosphate,

phosphonate or phosphinate adjuvant is disclosed.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 5 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2005:112142 USPATFULL Full-text

TITLE: Composition comprising a cyclohexanedione

herbicide and an adjuvant

Stock, David, Bracknell, UNITED KINGDOM INVENTOR(S):

Piper, Catherine Julia, Bracknell, UNITED KINGDOM

Hall, Gavin John, Bracknell, UNITED KINGDOM Sutton, Peter Bernard, Bracknell, UNITED KINGDOM

NUMBER KIND DATE \_\_\_\_\_\_ US 2005096226 A1 20050505 US 2004-700 A1 20041201 (11) PATENT INFORMATION: APPLICATION INFO.:

RELATED APPLN. INFO.: Continuation of Ser. No. WO 2003-GB2428, filed on 4 Jun

2003, UNKNOWN

NUMBER DATE \_\_\_\_\_ PRIORITY INFORMATION: GB 2002-13638 20020613

Utility

DOCUMENT TYPE:
FILE SEGMENT: APPLICATION FILE SEGMENT:

LEGAL REPRESENTATIVE: SYNGENTA CROP PROTECTION , INC., PATENT AND TRADEMARK

DEPARTMENT, 410 SWING ROAD, GREENSBORO, NC, 27409, US

NUMBER OF CLAIMS: 31 EXEMPLARY CLAIM: 1 LINE COUNT: 580 <--

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A novel herbicidal composition comprising a 2-(substituted benzoyl)-1,3-cyclohexanedione and an organic phosphate, phosphonate or phosphinate adjuvant at a concentration of less than 0.5% v/v when added to a spray tank as a tank mix additive or when co-formulated with a herbicide to produce a spray tank concentration of less than 0.5% v/v is disclosed.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 6 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2005:105459 USPATFULL Full-text

TITLE: Herbicides made from substituted aryl ketones

INVENTOR(S): Feucht, Dieter, Monheim, GERMANY, FEDERAL REPUBLIC OF

Dahmen, Peter, Neuss, GERMANY, FEDERAL REPUBLIC OF Drewes, Mark Wilhelm, Langenfeld, GERMANY, FEDERAL

REPUBLIC OF

Pontzen, Rolf, Leichlingen, GERMANY, FEDERAL REPUBLIC

OF

Hoischen, Dorothee, Dusseldorf, GERMANY, FEDERAL

REPUBLIC OF

Muller, Klaus-Helmut, Dusseldorf, GERMANY, FEDERAL

REPUBLIC OF

Schwarz, Hans-Georg, Langenfeld, GERMANY, FEDERAL

REPUBLIC OF

Herrmann, Stefan, Langenfeld, GERMANY, FEDERAL REPUBLIC

OF

Kather, Kristian, Langenfeld, GERMANY, FEDERAL REPUBLIC

OF

Schallner, Otto, Monheim, GERMANY, FEDERAL REPUBLIC OF

Goto, Toshio, Tochigi, JAPAN

Shirakura, Shinichi, Tochigi, JAPAN

		NUMBER	KIND	DATE	
PATENT INFORMATION:	US	2005090397	A1	20050428	
APPLICATION INFO.:	US	2003-488029	A1	20020819	(10)
	WO	2002-EP9236		20020819	

NUMBER	DATE

PRIORITY INFORMATION: DE 2001-10142334 20010830 <--

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: BAYER CROPSCIENCE LP, Patent Department, 100 BAYER

ROAD, PITTSBURGH, PA, 15205-9741, US

NUMBER OF CLAIMS: 9
EXEMPLARY CLAIM: 1-9
LINE COUNT: 4119

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The application relates to compositions having a) at least one of the compounds of the formula (I) ##STR1## in which A, R.sup.1, R.sup.2, R.sup.3 and R.sup.4 have the meaning given in the disclosure and b) known herbicides, as stated in the disclosure, and/or c) known safeners, as stated in the disclosure, and to their use for controlling undesirable vegetation.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 7 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2005:44193 USPATFULL Full-text

TITLE: 3-phenoxy-4-pyridazinol derivatives and

herbicide composition containing the same

INVENTOR(S): Tsukamoto, Yoshihisa, Shiga, JAPAN

Komai, Hiroyuki, Shiga, JAPAN Kadotani, Junji, Shiga, JAPAN Koi, Kiyoshi, Shiga, JAPAN Mio, Shigeru, Shiga, JAPAN Takeshiba, Hideo, Tokyo, JAPAN

PATENT ASSIGNEE(S): Sankyo Agro Company, Limited, Tokyo, JAPAN, 113-0033

(non-U.S. corporation)

NUMBER KIND DATE \_\_\_\_\_\_ US 2005037925 A1 20050217 PATENT INFORMATION: A1 20040227 (10) APPLICATION INFO.: US 2004-487013 WO 2002-JP8278 20020814

> NUMBER DATE \_\_\_\_\_\_

 

 JP 2001-248014
 20010817

 JP 2002-82219
 20020325

 PRIORITY INFORMATION: <--

<---

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: FRISHAUF, HOLTZ, GOODMAN & CHICK, PC, 767 THIRD AVENUE,

25TH FLOOR, NEW YORK, NY, 10017-2023

NUMBER OF CLAIMS: 26 EXEMPLARY CLAIM: 1 LINE COUNT: 21477

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A compound represented by the formula: ##STR1##

[wherein R.sup.1 represents a hydrogen atom, a halogen, atom, alkyl group, etc.,

R.sup.2 represents a hydrogen atom, a halogen atom, alkyl group, etc.,

R.sup.3, R.sup.4, R.sup.5, R.sup.6 and R.sup.7 each independently represent a hydrogen atom, a halogen atom, a substitutable alkyl group, a substitutable alkenyl group, alkynyl group, a substituteable cycloalkyl group, etc., or R.sup.3, R.sup.4, R.sup.5, R.sup.6 and R.sup.7 may form a ring which may be substituted, which is formed by the adjacent two of them with carbon atoms to which the respective substituents are bonded,

m and n each independently represent 0 or 1.] a salt thereof, an ester derivative thereof and an agricultural chemical containing the same as an effective ingredient, and a herbicidal composition containing the compound and a second herbicidally active compound as effective ingredients.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 8 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2005:114042 USPATFULL Full-text

Mesotrione formulations TITLE:

Wichert, Rex Alan, Greensboro, NC, UNITED STATES INVENTOR(S):

Beckett, Thomas Homer, Greensboro, NC, UNITED STATES
PATENT ASSIGNEE(S): Syngenta Crop Protection, Inc., Greensboro, NC, UNITED

STATES (U.S. corporation)

20030825 PCT 371 date

NUMBER DATE

PRIORITY INFORMATION: US 2000-231796P 20000911 (60) <-- US 2003-231007P 20000908 (60) <--

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Clardy, S. Mark LEGAL REPRESENTATIVE: Allen, Rose M.

NUMBER OF CLAIMS: 11 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 320

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Herbicidal formulations comprising (A) mesotrione (2-[4-methylsulfonyl-2-nitrobenzoyl]-1,3-cyclohexanedione). (B) about 0.3 to about 2.5 percent of crop oil concentrate or about 0.3 to about 2.5 percent of methylated seed oil, on a volume to volume basis, based on the total of (A), (B), (C) and (D). (C) about 0.5 to about 5% of a urea ammonium nitrate on a volume to volume basis, based on the total of (A), (B), (C) and (D), or about 0.5 to 5% based on dry weight, of ammonium sulphate fertilizer, based on the total weight of (A), (B), (C) and (D), and (D) a diluent.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 9 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2004:261818 USPATFULL <u>Full-text</u>

TITLE: Weed control process

INVENTOR(S): Sutton, Peter Bernard, Bracknell, UNITED KINGDOM Wichert, Rex Alan, Greensboro, NC, UNITED STATES

NUMBER DATE

PRIORITY INFORMATION: GB 2001-16956 20010711 <--

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: SYNGENTA CROP PROTECTION , INC., PATENT AND TRADEMARK

DEPARTMENT, 410 SWING ROAD, GREENSBORO, NC, 27409

NUMBER OF CLAIMS: 12 EXEMPLARY CLAIM: 1 LINE COUNT: 346

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A process of controlling triazine-tolerant weeds by the application of a combination of mesotrione and a triazine to the locus of said weeds is disclosed.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 10 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2004:233716 USPATFULL <u>Full-text</u>
TITLE: Synergistic herbicidal compositions

comprising mesotrione

INVENTOR(S): Cornes, Derek, Basel, SWITZERLAND

PRIORITY INFORMATION: GB 2001-14198 20010611

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: SYNGENTA CROP PROTECTION , INC., PATENT AND TRADEMARK

DEPARTMENT, 410 SWING ROAD, GREENSBORO, NC, 27409

<--

NUMBER OF CLAIMS: 9
EXEMPLARY CLAIM: 1
LINE COUNT: 347

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention relates to a synergistic herbicidal composition comprising; (A) mesotrione, and: (B) a second herbicide selected form; (B1) triazines (B2) triazolinones (B3) triazinones (B4) imidazolinones (B5) dicamba (B6) flumetsulam (B7) trifloxysulfuron (B8) tritosulfuron (B9) triasulfuron (B10) pyriftalid (B11) prosulfocarb (B12) pretilachlor (B13) cinosulfuron, or their herbicidally effective salts. A method of controlling th growth of undesirable vegetation, particularly in crops, using this synergistic composition is also disclosed.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 11 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2004:95237 USPATFULL Full-text

TITLE: Herbicidal compositions

INVENTOR(S): Pallett, Ken, Konigstein, GERMANY, FEDERAL REPUBLIC OF

Slater, Ashley, Essex, UNITED KINGDOM

DOCUMENT TYPE: Utility

FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: William E McShane, Connolly Bove Lodge & Hutz, P O Box

2207, Wilmington, DE, 19899-2207

NUMBER OF CLAIMS: 18
EXEMPLARY CLAIM: 1
LINE COUNT: 238

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to a composition comprising (a) 2-(2'-nitro-4'-

methylsulfonylbenzoyl)-1,3-cyclohexanedione, or an agriculturally acceptable salt or metal complex thereof; and (b) N-isopropyl-(5-trifluoromethyl-1,3,4-thiadiazol-2-yl)-4-(4'-fluoro-oxycetanilide); and their use as herbicides.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 12 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2004:70556 USPATFULL Full-text

TITLE: Herbicidal compositions

INVENTOR(S): Pallett, Ken, Konigstein, GERMANY, FEDERAL REPUBLIC OF

Slater, Ashley, Ongar Essex, UNITED KINGDOM

NUMBER DATE

PRIORITY INFORMATION: GB 2000-22932 20000918 <--

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: CONNOLLY BOVE LODGE & HUTZ, LLP, P O BOX 2207,

WILMINGTON, DE, 19899

NUMBER OF CLAIMS: 14
EXEMPLARY CLAIM: 1
LINE COUNT: 369

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to a method for controlling the growth of weeds at a

locus which comprises applying to said locus: (a) 2-(2'-nitro-4'-

methylsulfonylbenzoyl)-1,3-cyclohexanedione, or an agriculturally acceptable

salt or metal complex thereof; and (b) a triazine herbicide with the

exclusion of atrazine; and their use as herbicides.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 13 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2004:64227 USPATFULL Full-text

TITLE: Herbicidal composition

INVENTOR(S): Cornes, Derek, Basel, SWITZERLAND

RELATED APPLN. INFO.: Continuation of Ser. No. WO 2002-GB2534, filed on 6 Jun

2002, UNKNOWN

NUMBER DATE

PRIORITY INFORMATION: GB 2001-14198 20010611 <--

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: SYNGENTA CROP PROTECTION , INC., PATENT AND TRADEMARK

DEPARTMENT, 410 SWING ROAD, GREENSBORO, NC, 27409

NUMBER OF CLAIMS: 9
EXEMPLARY CLAIM: 1
LINE COUNT: 346

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention relates to a synergistic herbicidal composition comprising; (A) mesotrione, and: (B) a second herbicide selected from; (B1) triazines (B2) triazolinones (B3) triazinones (B4) imidazolinones (B5) dicamba (B6) flumetsulam (B7) trifloxysulfuron (B8) tritosulfuron (B9) triasulfuron (B10) pyriftalid (B11) prosulfocarb (B12) pretilachlor (B 13) cinosulfuron, or their herbicidally effective salts.

A method of controlling the growth of undesirable vegetation, particularly in crops, using this synergistic composition is also disclosed.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 14 OF 30 HCAPLUS COPYRIGHT 2007 ACS on STN ACCESSION NUMBER: 2004:937585 HCAPLUS <u>Full-text</u>

DOCUMENT NUMBER: 142:129012

TITLE: Photosynthetic and growth responses of Zea mays L and

four weed species following post-emergence treatments with mesotrione and atrazine

AUTHOR(S): Creech, J. Earl; Monaco, Thomas A.; Evans, John O. CORPORATE SOURCE: Plants, Soils, and Biometeorology Department, Utah

State University, Logan, UT, 84322-4820, USA

SOURCE: Pest Management Science (2004), 60(11),

1079-1084

CODEN: PMSCFC; ISSN: 1526-498X

PUBLISHER: John Wiley & Sons Ltd.

DOCUMENT TYPE: Journal LANGUAGE: English

Photosynthesis and growth of Zea mays L (corn) were compared with four weed species, Setaria viridis (L) Beauv (green foxtail), Echinochloa crus-galli (L) Beauv (barnyardgrass), Abutilon theophrasti Medic (velvetleaf), and Amaranthus retroflexus L (redroot pigweed ), following foliar applications with atrazine, mesotrione, or a combination of atrazine and mesotrione in two greenhouse expts. Plant responses to the three berbicide treatments were compared with responses of untreated plants (control). Photosynthesis on day 14 and dry mass of Z mays was not reduced by any of the herbicide treatments. Photosynthesis and dry mass of E crus-galli, A retroflexus and A theophrasti were significantly reduced by mesotrione and atrazine alone and in combination. Photosynthesis on day 14 and dry mass of large S. viridis plants were not suppressed by either herbicide applied alone. The mesotrione plus atrazine treatment was the most effective treatment for grass weed control because plants did not regain photosynthetic capacity and had significantly lower dry mass. Shoot dry mass of broadleaf weeds was significantly reduced by all three herbicide treatments, except for A retroflexus treated with mesotrione alone.

REFERENCE COUNT: 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L16 ANSWER 15 OF 30 HCAPLUS COPYRIGHT 2007 ACS on STN ACCESSION NUMBER: 2003:57827 HCAPLUS <u>Full-text</u>

DOCUMENT NUMBER: 138:102378

TITLE: Control of triazine-tolerant weeds by a

combination of mesotrione and a triazine Sutton, Peter Bernard; Wichert, Rex Alan

PATENT ASSIGNEE(S): Syngenta Limited, UK SOURCE: PCT Int. Appl., 14 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

INVENTOR(S):

PAT	PATENT NO.					KIND DATE		APPLICATION NO.										
WO	2003	0058	20						WO 2002-GB3119						20020708 <			
							AU,											
		CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	ES,	FΙ,	GB,	GD,	GE,	GH,	
							IN,											
		LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NO,	NZ,	OM,	PH,	
		PL,	PT,	RO,	RU,	SD,	SE,	SG,	SI,	SK,	SL,	ΤJ,	TM,	TN,	TR,	TT,	TZ,	
		UA,	UG,	US,	UZ,	VN,	YU,	ZA,	ZM,	ZW								
	RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	ΑT,	BE,	BG,	
		CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	IE,	ΙT,	LU,	MC,	NL,	
		PT,	SE,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	
		ΝE,	SN,	TD,	ΤG													
CA	2447	760					2003											
NZ	5296	92			А		2003	1219	]	NZ 2	002-	5296	92		2	0020	708	<
EP	1408	756			A1		2004	0421		EP 2	002-	7513	00		2	0020	708	<
	R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙΤ,	LI,	LU,	NL,	SE,	MC,	PT,	
							RO,											
SI	2129	5			Α		2004	0430		SI 2	002-	2001	9		2	0020	708	<
	2002																	
	2004										003-							
	2004						2004				004-							
	1620						2005				002-							
	2287						2006				004-							
	2003						2005				003-							
	2004				A		2004				004-					0040		
	2004						2004			JS 2	004-	4835	82		2	0040	109	<
	7071				В2		2006	0704					_					
DRIT	APP	LN.	INFO	.:														<
Т∽										-	002-				-			<

AB Triazine-tolerant weeds are controlled by the application of a combination of mesotrione and a triazine to the locus of said weeds either as a mixture or sequentially.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L16 ANSWER 16 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2003:181379 USPATFULL Full-text

TITLE: Adjuvant blend for enhancing efficacy of pesticides

INVENTOR(S): Woznica, Zenon J., Fargo, ND, UNITED STATES

Messersmith, Calvin, Fargo, ND, UNITED STATES

Nalewaja, John, Fargo, ND, UNITED STATES

PATENT ASSIGNEE(S): North Dakota State University (U.S. corporation)

NUMBER KIND DATE

\_\_\_\_\_

US 2003125211 A1 20030703 US 6642178 B2 20031104 US 2001-992475 A1 20011114 (9) PATENT INFORMATION:

APPLICATION INFO.:

DOCUMENT TYPE: Utility APPLICATION FILE SEGMENT:

LEGAL REPRESENTATIVE: FITCH EVEN TABIN AND FLANNERY, 120 SOUTH LA SALLE

STREET, SUITE 1600, CHICAGO, IL, 60603-3406

NUMBER OF CLAIMS: EXEMPLARY CLAIM: 1 LINE COUNT: 931

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention relates to a homogenous adjuvant blend for use in spray carriers containing herbicides. The homogenous adjuvant blend includes a nitrogen fertilizer, a pH adjuster, modified vegetable oil, and a blend of

nonionic surfactants having high, intermediate, and low hydrophilic-

lipophilic balance (HLB).

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 17 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2003:153279 USPATFULL Full-text

High-pH oil based adjuvant blend for enhancing efficacy TITLE:

of pesticides

Woznica, Zenon J., Fargo, ND, UNITED STATES INVENTOR(S):

Messersmith, Calvin, Fargo, ND, UNITED STATES

Nalewaja, John, Fargo, ND, UNITED STATES

PATENT ASSIGNEE(S): North Dakora State University (U.S. corporation)

NUMBER KIND DATE \_\_\_\_\_\_ US 2003104947 A1 20030605 US 6689720 B2 20040210 US 2001-34841 A1 20011227 (10) PATENT INFORMATION: APPLICATION INFO.:

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 2001-992475, filed

on 14 Nov 2001, PENDING

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: FITCH EVEN TABIN AND FLANNERY, 120 SOUTH LA SALLE

STREET, SUITE 1600, CHICAGO, IL, 60603-3406

31 NUMBER OF CLAIMS: EXEMPLARY CLAIM: 1 LINE COUNT: 722

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention relates to a homogenous adjuvant blend for use in spray carriers containing herbicides. The homogenous adjuvant blend includes

an oil, a pH adjuster, and nonionic surfactants.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 18 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2003:321499 USPATFULL Full-text TITLE: Herbicidal compositions comprising

picolinafen

INVENTOR(S): Hewett, Richard Henry, Ongar, UNITED KINGDOM PATENT ASSIGNEE(S): Aventis CropScience S.A., Lyons, FRANCE (non-U.S.

corporation)

		, -			
	NUMBER				
PATENT INFORMATION:		В1	20031209		<
APPLICATION INFO.:	US 2001-18395 WO 2000-EP6255		20011213	(10)	
	NUMBER	DA	TE		
PRIORITY INFORMATION: DOCUMENT TYPE: FILE SEGMENT:	GB 1999-14213 Utility		 0617		<
PRIMARY EXAMINER: LEGAL REPRESENTATIVE: NUMBER OF CLAIMS: EXEMPLARY CLAIM:	Clardy, S. Mark Frommer Lawrence 24	& Haug	LLP		
NUMBER OF DRAWINGS: LINE COUNT:	578		Drawing Pa	ige(s)	
CAS INDEXING IS AVAILAB	LE FOR THIS PATENT	-	otrollina :	+ h o o o o o o + t l	0 <del>-</del> -

This invention provides a method for controlling the growth of weeds (i.e. undesired vegetation) at a locus which comprises applying to the locus a herbicidally effective amount of: (a) picolinfen, a phenoxypicolinamide derivative of formula (I); and (b) a partner herbicide, selected from isoxazole, dione, urea and hydroxybenzonitrile herbicide. ##STR1##

### CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 19 OF 30 HCAPLUS COPYRIGHT 2007 ACS on STN ACCESSION NUMBER: 2002:220304 HCAPLUS Full-text

DOCUMENT NUMBER: 136:243300

TITLE: Herbicidal compositions
INVENTOR(S): Pallett, Ken; Slater, Ashley
PATENT ASSIGNEE(S): Aventis CropScience SA, Fr.

SOURCE: PCT Int. Appl., 16 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.					KIND DATE				APPLICATION NO.						DATE			
WO 2002021920					A1 20020321			,	WO 2001-EP10695						20010917 <			
	W:	ΑE,	AG,	AL,	AM,	ΑU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	BZ,	CA,	CN,	CO,	CR,	
		CU,	CZ,	DM,	DZ,	EC,	EE,	GD,	GE,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KG,	
		ΚP,	KR,	KΖ,	LC,	LK,	LR,	LT,	LV,	MA,	MD,	MG,	MK,	MN,	MX,	NO,	NZ,	
		PH,	PL,	RO,	RU,	SG,	SI,	SK,	ΤJ,	TM,	TT,	UA,	US,	UZ,	VN,	YU,	ZA	
	RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZW,	ΑT,	BE,	CH,	CY,	
		DE,	DK,	ES,	FI,	FR,	GB,	GR,	IE,	ΙΤ,	LU,	MC,	NL,	PT,	SE,	TR,	BF,	
		ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	G₩,	$\mathrm{ML}_{m{\prime}}$	MR,	NE,	SN,	TD,	ΤG		
CA	2422	183			A1		2002	0321	1	CA 2	001-	2422	183		2	0010	917 <	
ΑU	2002	0122	45		Α5		2002	0326		AU 2	002-	1224	5		2	0010	917 <	
EP	1322	159			A1		2003	0702		EP 2	001-	9803	91		2	0010	917 <	
EP	1322	159			В1		2006	0809										
	R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙT,	LI,	LU,	NL,	SE,	MC,	PT,	
		ΙE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	TR							
BR	2001	0139			А					BR 2					2	0010	917 <	
						HU 2003-1821												
ΑT	3354	01			Τ		2006	0915		AT 2	001-	9803	91		2	0010	917 <	

```
ZA 2003001849 A 20040420 ZA 2003-1849
US 2004053784 A1 20040318 US 2003-380353
                                                                            20030306 <--
                                                                            20031002 <--
                                                 L000-22932 A 20000918 <-- WO 2001-EP10695 W 2001001
     US 6887829
                           B2 20050503
PRIORITY APPLN. INFO.:
                                                GB 2000-22932
```

OTHER SOURCE(S): MARPAT 136:243300

The invention relates to a method for controlling the growth of weeds by applying 2-(2'-nitro-4'-methylsulfonylbenzoyl)- 1,3-cyclohexanedione, or an agriculturally acceptable salt or metal complex thereof in combination with a triazine berbicide with the exclusion of atrazine.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L16 ANSWER 20 OF 30 HCAPLUS COPYRIGHT 2007 ACS on STN ACCESSION NUMBER: 2002:220303 HCAPLUS <u>Full-text</u>

DOCUMENT NUMBER: 136:243299

TITLE: Herbicidal compositions INVENTOR(S): Pallett, Ken; Slater, Ashley Aventis CropScience SA, Fr. PATENT ASSIGNEE(S):

SOURCE: PCT Int. Appl., 17 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION: \_\_\_\_\_

PAI	CENT		KIND DATE			APPLICATION NO.												
WO	2002	 0219	 19		A1	.1 20020321			WO 2001-EP10692									
	W:	ΑE,	AG,	AL,	AM,	ΑU,	AZ,	BA,	BB,	BG,	BR,	BY,	BZ,	CA,	CN,	CO,	CR,	
		CU,	CZ,	DM,	DZ,	EC,	EE,	GD,	GE,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KG,	
		KP,	KR,	KΖ,	LC,	LK,	LR,	LT,	LV,	MA,	MD,	MG,	MK,	MN,	MX,	NO,	NΖ,	
		PH,	PL,	RO,	RU,	SG,	SI,	SK,	ΤJ,	TM,	TT,	UA,	US,	UZ,	VN,	YU,	ZA	
	RW:	GH,	GM,	ΚE,	LS,	MW,	${ m MZ}$ ,	SD,	SL,	SZ,	TZ,	UG,	ZW,	ΑT,	BE,	CH,	CY,	
		DE,	DK,	ES,	FI,	FR,	GB,	GR,	IE,	ΙT,	LU,	MC,	NL,	PT,	SE,	TR,	BF,	
		ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,	GQ,	GW,	ML,	MR,	NE,	SN,	TD,	ΤG		
AU	2002	1392	0		Α		2002	0326		AU 2	002-	1392	0		2	0010	917	<
BR	2001	0139	20		Α		2003	0729		BR 2	001-	1392	0		2	0010	917	<
EP	1331									EP 2	001-	9822	97		2	0010	917	<
EP	1331	849			В1		2006	1206										
	R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙΤ,	LI,	LU,	NL,	SE,	MC,	PT,	
		ΙE,	SI,	LT,	LV,	FΙ,	RO,	MK,	CY,	AL,	TR							
ZA	2003	0018	47		А		2004	0419		ZA 2	003-	1847			2	0030	306	<
IN	2003	CN00.	378		А		2005	0408		IN 2	003-	CN37	8		2	0030	311	<
US	2004	0537	85		A1		2004	0318	1	JS 2	003-	3802	97		2	0031	002	<
US	6835	694			В2		2004	1228										
ORITY APPLN. INFO.:				.:					(	GB 2	000-	2283	5	1	A 2	0000	918	<
									1	WO 2	001-	EP10	692	1	W 2	0010	917	<

ΔR A method for controlling the growth of weeds comprises applying a urea herbicide and 2-(2'-nitro-4'- methylsulfonylbenzoyl)-1,3-cyclohexanedione or a salt or metal complex thereof.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L16 ANSWER 21 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2002:106226 USPATFULL Full-text

TITLE: Herbicidal mixtures

INVENTOR(S): Baltruschat, Helmut Siegfried, Schweppenhausen,

GERMANY, FEDERAL REPUBLIC OF

Brandt, Astrid, Mainz, GERMANY, FEDERAL REPUBLIC OF

PATENT ASSIGNEE(S): Intellectual Property Department, Ludwigshafen,

GERMANY, FEDERAL REPUBLIC OF (non-U.S. corporation)

APPLICATION INFO.: US 2001-938370 A1 20010824 (9)

NUMBER DATE

PRIORITY INFORMATION: US 2000-228317P 20000825 (60) <--

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: BASF Corporation, Intellectual Property Department,

P.O. Box 400, Princeton, NJ, 08543-0400

NUMBER OF CLAIMS: 23 EXEMPLARY CLAIM: 1 LINE COUNT: 1976

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to a herbicidal composition comprising a herbicidally acceptable carrier and/or surface active agent and, as active ingredient, a synergistically effective amount of

(1) at least one compound of formula I ##STR1##

in which R.sup.1, R.sup.2, A, m and n are as defined in claim 1; and

(2) at least one additional herbicidal compound, which is active against broad-leaved weeds and/or annual grasses; which provides a synergistic effect against a broad spectrum of weed species, e.g., in cereal crops. The invention also provides a method for controlling weeds by applying a synergistically effective amount of a compound (1) and a compound (2) to a locus.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 22 OF 30 HCAPLUS COPYRIGHT 2007 ACS on STN ACCESSION NUMBER: 2002:517515 HCAPLUS Full-text

DOCUMENT NUMBER: 137:89758

TITLE: Effect of postemergence application rate and timing of

mesotrione on corn (Zea mays) response and

weed control

AUTHOR(S): Johnson, Bradley C.; Young, Bryan G.; Matthews, Joseph

L.

CORPORATE SOURCE: Department of Plant, Soil and General Agriculture,

Southern Illinois University, Carbondale, IL,

62901-4415, USA

SOURCE: Weed Technology (2002), 16(2), 414-420

CODEN: WETEE9; ISSN: 0890-037X

PUBLISHER: Weed Science Society of America

DOCUMENT TYPE: Journal LANGUAGE: English

AB Field expts. were conducted in 1999 and 2000 to determine the influence of mesotrione postemergence application rate, application timing, and addition of atrazine on corn injury, weed control, and corn grain yield. Corn injury in

the form of leaf bleaching ranged from 0 to 15% at 7 d after treatment (DAT). In general, most of the bleaching injury rapidly dissipated with slight ( $\leq 8\%$ ) to no corn injury observed at 28 DAT. Control of common cocklebur with mesotrione at 14 DAT ranged from 79 to 98% for all treatments over both years. Applying mesotrione at 140 g/ha, at the early postemergence (EPOST) timing, or in combination with atrazine provided the greatest control of common cocklebur at 14 DAT. Application rate of mesotrione was the only factor that was significant in both years for control of common cocklebur later in the season at 56 DAT. Control of ivyleaf morningglory with mesostrione at 14 DAT ranged from 60 to 90% for all treatments in both years. Control of ivyleaf morningglory at 14 DAT was enhanced by the addition of atrazine to mesotrione. Control of ivyleaf morningglory at 56 DAT was greater with mid-postemergence and late postemergence than with EPOST applications, and was generally enhanced by the addition of atrazine. Yellow nutsedge control with mesotrione was inconsistent, ranging from 40 to 87% at 14 DAT for all treatments over both years. The addition of atrazine to mesotrione increased yellow nutsedge control from 47 to 87% at 14 DAT in 2000. Increasing the rate of mesotrione from 70 to 140 g/ha, as well as the addition of atrazine, improved control of yellow nutsedge at 56 DAT. Corn grain yield was not affected by corn injury or weed control as there were no significant differences in grain yield between herbicide-treated plots and handweeded plots.

REFERENCE COUNT: 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L16 ANSWER 23 OF 30 HCAPLUS COPYRIGHT 2007 ACS on STN ACCESSION NUMBER: 2001:99902 HCAPLUS Full-text

DOCUMENT NUMBER: 134:233006

TITLE: Mesotrione: a new selective herbicide for

use in maize

AUTHOR(S): Mitchell, Glynn; Bartlett, David W.; Fraser, Torquil

E. M.; Hawkes, Tim R.; Holt, David C.; Townson, Jane

K.; Wichert, Rex A.

CORPORATE SOURCE: Zeneca Agrochemicals, Jealott's Hill International

Research Centre, Bracknell, RG42 6ET, UK

SOURCE: Pest Management Science (2001), 57(2),

120-128

CODEN: PMSCFC; ISSN: 1526-498X

PUBLISHER: John Wiley & Sons Ltd.

DOCUMENT TYPE: Journal LANGUAGE: English

Mesotrione is a new herbicide being developed for the selective pre- and postemergence control of a wide range of broad-leaved and grass weeds in maize (Zea mays). It is a member of the benzoylcyclohexane-1,3-dione family of herbicides, which are chemical derived from a natural phytotoxin obtained from the Californian bottlebrush plant, Callistemon citrinus. The compound acts by competitive inhibition of the enzyme 4-hydroxyphenylpyruvate dioxygenase (HPPD), a component of the biochem. pathway that converts tyrosine to plastoquinone and  $\alpha$ -tocopherol. Mesotrione is an extremely potent inhibitor of HPPD from Arabidopsis thaliana, with a Ki value of c 6-18 pM. It is rapidly taken up by weed species following foliar application, and is distributed within the plants by both acropetal and basipetal movement. Maize is tolerant to mesotrione as a consequence of selective metabolism by the crop plant. Slower uptake of mesotrione, relative to susceptible weed species, may also contribute to its utility as a selective herbicide for use in maize.

REFERENCE COUNT: 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L16 ANSWER 24 OF 30 USPATFULL on STN

ACCESSION NUMBER: 2000:67704 USPATFULL Full-text

TITLE: Method of controlling weeds in transgenic

crops

INVENTOR(S): Pallett, Ken, Ongar, United Kingdom

Derose, Richard, Lyons, France

Pelissier, Bernard, St Didier Au Mont d'Or, France

Sailland, Alain, Lyons, France

Vrabel, Thomas Edward, Raleigh, NC, United States

PATENT ASSIGNEE(S): Rhone-Poulenc Agrochimie, Lyons, France (non-U.S.

corporation)

NUMBER KIND DATE \_\_\_\_\_\_

PATENT INFORMATION: US 6069115 20000530

APPLICATION INFO: US 1997-969032 19971112 (8) <--

DOCUMENT TYPE: Utility

FILE SEGMENT: Granted
PRIMARY EXAMINER: Smith, Lynette R. F.
ASSISTANT EXAMINER: Haas, Thomas

LEGAL REPRESENTATIVE: Connolly Bove Lodge & Hutz LLP

NUMBER OF CLAIMS: 24 NUMBER O. EXEMPLARY CLAIM: 710

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention relates to a method for the control of weeds at a crop locus,

said method comprising the application of an effective amount of:

(a) a glyphosate herbicide which is glyphosate or a derivative thereof; and

(b) at least one HPPD-inhibiting herbicide;

wherein the crop is tolerant to glyphosate and optionally the HPPDinhibiting herbicide.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 25 OF 30 USPATFULL on STN

ACCESSION NUMBER: 1999:67226 USPATFULL Full-text

TITLE: Stable herbicidal compositions containing metal chelates of herbicidal dione compounds INVENTOR(S): Scher, Herbert B., Moraga, CA, United States

Chen, Jinling, El Cerrito, CA, United States

PATENT ASSIGNEE(S): Zeneca Limited, United Kingdom (non-U.S. corporation)

DATE NUMBER KIND

PATENT INFORMATION: US 5912207 19990615 APPLICATION INFO.: US 1997-792340 19970131 (8) <---

DOCUMENT TYPE: FILE SEGMENT: Utility

Granted

FILE SEGMENT: Granted
PRIMARY EXAMINER: Clardy, S. Mark
LEGAL REPRESENTATIVE: LeCroy, David P.

NUMBER OF CLAIMS: 24 EXEMPLARY CLAIM: 1 LINE COUNT: 1136

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Metal chelates of herbicidal dione compounds of the formula ##STR1## are chemically stable for long periods of time under normal as well as extreme

temperature conditions. Chemically stable liquid herbicidal formulations containing metal chelates of the herbicidal compounds of formula (I) and water, an organic solvent or a liquid co-herbicide and processes for producing chemically stable herbicidal compositions containing such metal chelates are also described.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 26 OF 30 HCAPLUS COPYRIGHT 2007 ACS on STN ACCESSION NUMBER: 2000:15820 HCAPLUS Full-text

DOCUMENT NUMBER: 132:133514

TITLE: Technical review of mesotrione, a new maize

herbicide

AUTHOR(S): Wichert, R. A.; Townson, J. K.; Bartlett, D. W.;

Foxon, G. A.

CORPORATE SOURCE: Western Research Center, Zeneca Ag Products, Richmond,

CA, 94804, USA

SOURCE: Brighton Conference--Weeds (1999), (Vol. 1),

105-110

CODEN: BCWEFI

PUBLISHER: British Crop Protection Council

DOCUMENT TYPE: Journal; General Review

LANGUAGE: English

As a review with 1 reference Mesotrione (ZA1296) is an exptl. triketone herbicide being developed for the pre-emergence and postemergence maize herbicide markets. Mesotrione provides control of all the major broadleaf weeds and selected grass weeds, while providing application flexibility, excellent crop tolerance, and residual weed control. Mesotrione inhibits phydroxyphenylpyruvate dioxygenase (HPPD). This enzyme is in the biochem. pathway that converts tyrosine to plastoquinone. Weeds are expected to have low potential for development of resistance to mesotrione because it is a competitive inhibitor and mutations for resistance are likely to carry a fitness penalty. Mutagenized Arabidopsis populations have also yielded no mutants resistant to mesotrione. Mesotrione has a favorable environmental and toxicol. profile. Mesotrione is not a carcinogen and there are no detectable residues at harvest. Mesotrione presents negligible risks to mammals, birds and aquatic species.

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L16 ANSWER 27 OF 30 USPATFULL on STN

ACCESSION NUMBER: 1998:42325 USPATFULL Full-text

TITLE: Synergistic herbicidal composition comprising

triketones and chloroacetanilides, and method of use

thereof

INVENTOR(S): Shribbs, John Martin, Petaluma, CA, United States

PATENT ASSIGNEE(S): Zeneca Limited, London, England (non-U.S. corporation)

PRIMARY EXAMINER: Granted Clardy, S. Mark

LEGAL REPRESENTATIVE: Thomson, Marian T.

NUMBER OF CLAIMS: 15
EXEMPLARY CLAIM: 1
LINE COUNT: 415

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A synergistic herbicidal composition containing (A) a cyclohexanedione compound of formula (I): ##STR1## wherein n is 0 or 1; and (B) a chloroacetanilide compound of the formula (II): ##STR2## wherein R.sup.1 is hydrogen, methyl or ethyl; R.sup.2 is hydrogen or ethyl; R.sup.3 is hydrogen or methyl; and R.sup.4 is methyl, methoxy, methoxymethyl, ethoxy or butoxy. A method of controlling the growth of undesirable vegetation, particularly in crops, using this synergistic composition is also disclosed.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 28 OF 30 USPATFULL on STN

ACCESSION NUMBER: 96:29524 USPATFULL <u>Full-text</u>

TITLE: Selective 1,3-cyclohexanedione corn herbicide INVENTOR(S): Ensminger, Michael P., Petaluma, CA, United States

Shribbs, John M., Petaluma, CA, United States

Zeneca Limited, London, United Kingdom (non-U.S. PATENT ASSIGNEE(S):

corporation)

NUMBER KIND DATE \_\_\_\_\_

PATENT INFORMATION: US 5506195 19960409 APPLICATION INFO.: US 1994-333442 19941101 (8) DOCUMENT TYPE: Utility <--

DOCUMENT TYPE: FILE SEGMENT:

FILE SEGMENT: Granted PRIMARY EXAMINER: Clardy, S. Mark LEGAL REPRESENTATIVE: Thomson, Marian T.

NUMBER OF CLAIMS: 5 EXEMPLARY CLAIM: 1
361

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A method of selectively controlling undesirable vegetation in corn by

applying an herbicidally effective amount of 2-(2'-nitro-4'-

methylsulfonylbenzoyl)-1,3-cyclohexanedione to the locus of such vegetation.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 29 OF 30 USPATFULL on STN

ACCESSION NUMBER: 92:82408 USPATFULL Full-text

Certain substituted bis(2-benzoyl-3-oxo-cyclohexenyl) TITLE:

thioalvcols

INVENTOR(S): Knudsen, Christopher G., Berkeley, CA, United States

PATENT ASSIGNEE(S): Imperial Chemical Industries PLC, London, United

Kingdom (non-U.S. corporation)

NUMBER KIND DATE \_\_\_\_\_

PATENT INFORMATION: US 5152826 19921006 US 1991-778415 19911016 (7) <--

APPLICATION INFO.:

DOCUMENT TYPE: Utility FILE SEGMENT: Granted

FILE SEGMENT: Granted
PRIMARY EXAMINER: Cintins, Marianne M.
ASSISTANT EXAMINER: Argo, Margaret

LEGAL REPRESENTATIVE: Baker, Edwin H., Bradley, Michael J.

NUMBER OF CLAIMS: 25 NUMBER OF CEATM: 1 LINE COUNT: 729

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB An herbicide compound of the formula ##STR1## wherein R is halogen, C.sub.1 -C.sub.2 alkyl, C.sub.1 -C.sub.2 alkoxy, nitro; cyano; C.sub.1 -C.sub.2 haloalkyl, or R.sup.a SO.sub.n -- wherein n is 0 or 2 and R.sup.a is C.sub.1 -C.sub.2 alkyl;

R.sup.1 is hydrogen or C.sub.1 -C.sub.4 alkyl;

R.sup.2 is hydrogen or C.sub.1 -C.sub.4 alkyl; or

R.sup.1 and R.sup.2 together are alkylene having 2 to 5 carbon atoms;

R.sup.3 is hydrogen or C.sub.1 -C.sub.4 alkyl;

R.sup.4 is hydrogen or C.sub.1 -C.sub.4 alkyl; or

R.sup.3 and R.sup.4 together are oxo;

R.sup.5 is hydrogen or C.sub.1 -C.sub.4 alkyl;

R.sup.6 is hydrogen or C.sub.1 -C.sub.4 alkyl; or

R.sup.5 and R.sup.6 together are alkylene having 2 to 5 carbon atoms;

R.sup.7 and R.sup.8 independently are (1) hydrogen; (2) halogen; (3) C.sub.1 -C.sub.4 alkyl; (4) C.sub.1 -C.sub.4 alkoxy; (5) trifluoromethoxy; (6) cyano; (7) nitro; (8) C.sub.1 -C.sub.4 haloalkyl; (9) R.sup.b SO.sub.n --wherein n is the integer 0, 1 or 2; and R.sup.b is (a) C.sub.1 -C.sub.4 alkyl; (b) C.sub.1 -C.sub.4 alkyl substituted with halogen or cyano; (c) phenyl; or (d) benzyl; (10) --NR.sup.c R.sup.d wherein R.sup.c and R.sup.d independently are hydrogen or C.sub.1 -C.sub.4 alkyl; (11) R.sup.e C(O)-wherein R.sup.e is C.sub.1 -C.sub.4 alkyl or C.sub.1 -C.sub.4 alkoxy; (12) SO.sub.2 NR.sup.c R.sup.d wherein R.sup.c and R.sup.d are as defined; (13) --N(R.sup.c)C(O)R.sup.d wherein R.sup.c and R.sup.d are as defined; or (14) --CH.sub.2 CH.sub.2 OCH.sub.3 or --CH.sub.2 CH.sub.2 OC.sub.2 H.sub.5; with the proviso that R.sup.7 is not at the 6-position; and

R.sup.9 is C.sub.2 -C.sub.6 alkylene.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 30 OF 30 USPATFULL on STN

ACCESSION NUMBER: 88:68834 USPATFULL Full-text

TITLE: Certain 2-(substituted benzoyl)-1,3-cyclohexanediones

and their use as berbicides

INVENTOR(S): Michaely, William J., El Cerrito, CA, United States

Kraatz, Gary W., San Jose, CA, United States

PATENT ASSIGNEE(S): Stauffer Chemical Company, Westport, CT, United States

(U.S. corporation)

	NUMBER				
PATENT INFORMATION:			19881025	<	
APPLICATION INFO.:	US 1986-880370		19860630	(6)	
RELATED APPLN. INFO.:					filed
	on 5 Sep 1985, no	ow aband	doned which	ch is a	
	continuation-in-	part of	Ser. No.	US 1984-634408,	filed
	on 31 Jul 1984, r	now abar	ndoned wh:	ich is a	
	continuation-in-p				filed
	on 7 Mar 1984, no				
	continuation-in-				filed
	on 16 Sep 1983, r				
	continuation-in-p				filed
	on 9 Feb 1983, no				£:1-4
	continuation-in-r			05 1982-361638,	Illea
DOCUMENT TYPE:	on 25 Mar 1982, r Utility	10W abai	idoned		
FILE SEGMENT:	<u> -</u>				
PRIMARY EXAMINER:					
ASSISTANT EXAMINER:					
LEGAL REPRESENTATIVE:					
NUMBER OF CLAIMS:	•				
EXEMPLARY CLAIM:	1,20				
LINE COUNT:	4197				
CAS INDEXING IS AVAILAB	LE FOR THIS PATENT	Γ.			
<del>-</del>	e formula ##STR1##			_	-C.sub.4

alkoxy, C.sub.1 -C.sub.4 alkyl, C.sub.1 -C.sub.4 haloalkyl, cyano, nitro, S(0).sub.n R wherein R is C.sub.1 -C.sub.4 alkyl and n is the integer 0, 1 or 2; and R.sup.2 through R.sup.8 are hydrogen or certain substituents, their salts, herbicidal compositions containing the compound or salts and

the herbicidal use thereof.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

SEARCH IN AGRICOLA, BIOSIS, CABA, CROPB, CROPU, ESBIOBASE, GENBANK, IFIPAT, NTIS, SCISEARCH

```
=> d que stat 118
             1 SEA FILE=REGISTRY ABB=ON 104206-82-8/RN
L9
           212 SEA FILE=HCAPLUS ABB=ON L8
           185 SEA FILE=HCAPLUS ABB=ON L9 AND ?HERBICID?
L10
            77 SEA FILE=HCAPLUS ABB=ON L10 AND ?WEED?
L11
             9 SEA FILE=HCAPLUS ABB=ON L11 AND ?APPL?(4A)?WEED?
L13
L14
             7 SEA FILE=HCAPLUS ABB=ON L13 AND (PRD<20041213 OR PD<20041213)
L17
             5 SEA L14
L18
             5 DUP REMOV L17 (0 DUPLICATES REMOVED)
```

#### => d ibib abs 118 1-5

L18 ANSWER 1 OF 5 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN

ACCESSION NUMBER: 2005:47721 BIOSIS <u>Full-text</u>

DOCUMENT NUMBER: PREV200500048548

TITLE: Photosynthetic and growth responses of Zea mays L and four

weed species following post-emergence treatments

with mesotrione and atrazine.

AUTHOR(S): Creech, J. Earl; Monaco, Thomas A. [Reprint Author]; Evans,

John O.

CORPORATE SOURCE: USDA ARS Forage and Range Res Lab, Utah State Univ, Logan,

UT, 84322, USA tmonaco@cc.usu.edu

SOURCE: Pest Management Science, (November 2004) Vol. 60,

No. 11, pp. 1079-1084. print. ISSN: 1526-498X (ISSN print).

DOCUMENT TYPE: Article LANGUAGE: English

ENTRY DATE: Entered STN: 26 Jan 2005

Last Updated on STN: 26 Jan 2005

We compared photosynthesis and growth of Zea mays L (corn) and four weed AΒ species, Setaria viridis (L) Beauv (green foxtail), Echinochloa crus-galli (L) Beauv (barnyardgrass), Abutilon theophrasti Medic (velvetleaf), and Amaranthus retroflexus L (redroot pigweed ), following foliar applications with atrazine, mesotrione, or a combination of atrazine and mesotrione in two greenhouse experiments. Plant responses to the three berbicide treatments were compared with responses of untreated plants (control). Photosynthesis on day 14 and dry mass of Z mays was not reduced by any of the herbicide treatments. Photosynthesis and dry mass of E crus-galli, A retroflexus and A theophrasti were significantly reduced by mesotrione and atrazine alone and in combination. Photosynthesis on day 14 and dry mass of large S viridis plants were not suppressed by either berbicide applied alone. The mesotrione plus atrazine treatment was the most effective treatment for grass weed control because plants did not regain photosynthetic capacity and had significantly lower dry mass. Shoot dry mass of broadleaf weeds was significantly reduced by all three herbicide treatments, except for A retroflexus treated with mesotrione alone. Copyright 2004 Society of Chemical Industry.

L18 ANSWER 2 OF 5 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN

ACCESSION NUMBER: 2003:364986 BIOSIS Full-text

DOCUMENT NUMBER: PREV200300364986

TITLE: Mesotrione, acetochlor, and atrazine for weed

management in corn (Zea mays).

AUTHOR(S): Armel, Gregory R.; Wilson, Henry P. [Reprint Author];

Richardson, Robert J.; Hines, Thomas E.

CORPORATE SOURCE: Eastern Shore Agricultural Research and Extension Center,

Virginia Tech, Painter, VA, 23420, USA

hwilson@vt.edu

SOURCE: Weed Technology, (April-June 2003) Vol. 17, No.

2, pp. 284-290. print.

CODEN: WETEE9. ISSN: 0890-037X.

DOCUMENT TYPE: Article LANGUAGE: English

ENTRY DATE: Entered STN: 6 Aug 2003

Last Updated on STN: 6 Aug 2003

AB Field studies were conducted in 1999, 2000, and 2001 to investigate weed control and crop safety with preemergence (PRE) and postemergence (POST) applications of mesotrione alone and in tank mixtures with acetochlor and atrazine. Corn injury was less than 4% with all mesotrione treatments in 1999 and 2001, but it was 8 to 20% in 2000, when rainfall was 3.1 cm 7 d after PRE applications. Mesotrione PRE at 0.16 and 0.24 kg ai/ha did not adequately control most broadleaf weeds or giant foxtail. Tank mixtures of mesotrione plus acetochlor controlled smooth pigweed and giant foxtail but did not adequately control common ragweed, common lambsquarters, or morningglory species. Control by tank mixtures of mesotrione plus atrazine at 0.56 kg ai/ha was frequently low and varied with rainfall after PRE applications. All weed species were controlled 80% or more by mesotrione plus acetochlor PRE or atrazine plus acetochlor PRE followed by mesotrione POST at 0.11 kg/ha.

L18 ANSWER 3 OF 5 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN

ACCESSION NUMBER: 2006:100686 BIOSIS Full-text

DOCUMENT NUMBER: PREV200600110923

TITLE: Synergy of mesotrione, S-metolachlor and terbuthylazine in

weed control strategies in maize.

Original Title: Synergie von mesotrione, S-metolachlor und

terbuthylazin in der bekampfungsstrategie von

maisunkrautern.

AUTHOR(S): Schulte, M. [Reprint Author]; Ruegg, W. T.; Sutton, P. B.

CORPORATE SOURCE: Syngenta Agro GmbH, Technol Pk 1-5, D-63477 Maintal,

Germany

martin.schulte@syngenta.com

SOURCE: Zeitschrift fuer Pflanzenkrankheiten und Pflanzenschutz, (

2002) No. Sp. Iss. 18, pp. 785-793.

CODEN: ZPFPAA. ISSN: 0340-8159.

DOCUMENT TYPE: Article LANGUAGE: German

ENTRY DATE: Entered STN: 8 Feb 2006

Last Updated on STN: 8 Feb 2006

Chemical weed control in maize under practical conditions is mostly done by AB means of ready-formulated or tankmixtures of berbicides. For mesotrione and terbuthylazine, synergistic effects for control of broad-leaved and grass weeds are shown in field results from the 2000 and 2001 season. Calculation according to the model Of COLBY (1967), applied to greenhouse results at sublethal doses demonstrates that a true synergism of two active ingredients, each performing by a different mode of action, is involved. As enhanced uptake and reduced metabolism can be excluded, an explanation for this synergism is discussed based on the different mode of action of the ingredients. Mesotrione after post-emergent application offers predominantly foliar activity, terbuthylazine acts via leaf and soil. The residual activity of such a mixture is mainly due to terbuthylazine, which is active mostly on broad-leaved species. To provide residual activity through the required "critical period" for yield in maize, and to include control of late emerging grass weeds, the residual partner S-metolachlor can be added. The reliable

duration of activity of a combination of terbuthylazine and S-metolachlor is shown under greenhouse conditions. In combination with the predominantly foliar-active mesotrione it contributes significantly to a consistent broad-spectrum control of all important annual broad-leaved weeds and grasses in maize.

L18 ANSWER 4 OF 5 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN

ACCESSION NUMBER: 2001:181384 BIOSIS Full-text

DOCUMENT NUMBER: PREV200100181384

TITLE: Mesotrione: a new selective herbicide for use in

maize.

AUTHOR(S): Mitchell, Glynn [Reprint author]; Bartlett, David W.;

Fraser, Torquil E. M.; Hawkes, Tim R.; Holt, David C.;

Townson, Jane K.; Wichert, Rex A.

CORPORATE SOURCE: Zeneca Agrochemicals, Jealott's Hill International Research

Centre, Bracknell, Berkshire, RG42 6ET, UK

SOURCE: Pest Management Science, (February, 2001) Vol.

57, No. 2, pp. 120-128. print.

ISSN: 1526-498X.

DOCUMENT TYPE: Article LANGUAGE: English

ENTRY DATE: Entered STN: 11 Apr 2001

Last Updated on STN: 18 Feb 2002

Mesotrione is a new herbicide being developed for the selective pre- and post-AΒ emergence control of a wide range of broad-leaved and grass weeds in maize (Zea mays). It is a member of the benzoylcyclohexane-1,3-dione family of herbicides, which are chemically derived from a natural phytotoxin obtained from the Californian bottlebrush plant, Callistemon citrinus. The compound acts by competitive inhibition of the enzyme 4-hydroxyphenylpyruvate dioxygenase (HPPD), a component of the biochemical pathway that converts tyrosine to plastoquinone and alpha-tocopherol. Mesotrione is an extremely potent inhibitor of HPPD from Arabidopsis thaliana, with a Ki value of c 6-18 pM.. It is rapidly taken up by weed species following foliar application, and is distributed within the plants by both acropetal and basipetal movement. Maize is tolerant to mesotrione as a consequence of selective metabolism by the crop plant. Slower uptake of mesotrione, relative to susceptible weed species, may also contribute to its utility as a selective herbicide for use in maize.

L18 ANSWER 5 OF 5 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN

ACCESSION NUMBER: 2006:100554 BIOSIS Full-text

DOCUMENT NUMBER: PREV200600111042

TITLE: ZA1296 - a novel selective maize herbicide.

Original Title: ZA1296 - ein neues selektives maisherbizid.

AUTHOR(S): Drexler, G. [Reprint Author]; Brune, R. A.

CORPORATE SOURCE: Zeneca Agro, Emil von Behring Str 2, D-60439 Frankfurt,

Germany

Georg.Drexler@ageurope.zeneca.com

SOURCE: Zeitschrift fuer Pflanzenkrankheiten und Pflanzenschutz, (

2000) No. Sp. Iss. 17, pp. 577-581.

CODEN: ZPFPAA. ISSN: 0340-8159.

DOCUMENT TYPE: Article LANGUAGE: German

ENTRY DATE: Entered STN: 8 Feb 2006

Last Updated on STN: 8 Feb 2006

AB ZA1296 (common name: Mesotrione) is a new herbicidal active ingredient for selective use in maize. ZA1296 is a broad spectrum 2(nd) generation triketon. It shows foliar and residual activity and is therefore flexible in terms of

application timing. Chemical and physical properties, toxicology and ecotoxicology, results of field trials for weed control straight, as well as selectivity results are presented below.

#### SEARCH HISTORY

```
=> d his ful
```

(FILE 'HOME' ENTERED AT 17:32:09 ON 26 JAN 2007)

FILE 'HCAPLUS' ENTERED AT 17:32:18 ON 26 JAN 2007

E STOCK DAVID/AU

- L1 20 SEA ABB=ON "STOCK DAVID"/AU
  - E PIPER CATHERINE/AU
- L2 5 SEA ABB=ON "PIPER CATHERINE JULIA"/AU
  - E HALL GAVIN/AU
- L3 5 SEA ABB=ON ("HALL GAVIN J"/AU OR "HALL GAVIN JOHN"/AU OR "HALL GAVIN M"/AU)
  - E SUTTON PETER BERNARD/AU
- L4 8 SEA ABB=ON ("SUTTON PETER B"/AU OR "SUTTON PETER BERNARD"/AU)
- L5 2 SEA ABB=ON L1 AND L2 AND L3 AND L4 D TI 1-2

SELECT RN L5 1-1

- FILE 'REGISTRY' ENTERED AT 17:33:55 ON 26 JAN 2007
- L6 11 SEA ABB=ON (104206-80-6/BI OR 104206-82-8/BI OR 126-63-6/BI OR 126-73-8/BI OR 126070-60-8/BI OR 14265-44-2/BI OR 145665-36-7/BI OR 15477-76-6/BI OR 634187-29-4/BI OR 78-42-2/BI OR 99105-77-8/BI)
- FILE 'HCAPLUS' ENTERED AT 17:34:00 ON 26 JAN 2007 L7 2 SEA ABB=ON L5 AND L6
- FILE 'REGISTRY' ENTERED AT 17:37:54 ON 26 JAN 2007 L8 1 SEA ABB=ON 104206-82-8/RN
  - FILE 'HCAPLUS' ENTERED AT 17:38:09 ON 26 JAN 2007
- L9 212 SEA ABB=ON L8
- L10 185 SEA ABB=ON L9 AND ?HERBICID?
- L11 77 SEA ABB=ON L10 AND ?WEED?
- L12 1 SEA ABB=ON L11 AND ?PROCESS?
- L13 9 SEA ABB=ON L11 AND ?APPL?(4A)?WEED?
- L14 7 SEA ABB=ON L13 AND (PRD<20041213 OR PD<20041213)
  - FILE 'USPATFULL' ENTERED AT 17:42:10 ON 26 JAN 2007
- L15 23 SEA ABB=ON L13 AND (PRD<20041213 OR PD<20041213)
- FILE 'HCAPLUS, USPATFULL' ENTERED AT 17:42:24 ON 26 JAN 2007 L16 30 DUP REMOV L14 L15 (0 DUPLICATES REMOVED)
  - FILE 'AGRICOLA, BIOSIS, CABA, CROPB, CROPU, ESBIOBASE, GENBANK, IFIPAT, NTIS, SCISEARCH' ENTERED AT 17:42:55 ON 26 JAN 2007
- L17 5 SEA ABB=ON L14
- L18 5 DUP REMOV L17 (0 DUPLICATES REMOVED)

FILE HOME

FILE HCAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 26 Jan 2007 VOL 146 ISS 6 FILE LAST UPDATED: 25 Jan 2007 (20070125/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

#### FILE REGISTRY

Property values tagged with IC are from the  ${\tt ZIC/VINITI}$  data file provided by InfoChem.

STRUCTURE FILE UPDATES: 25 JAN 2007 HIGHEST RN 918475-45-3 DICTIONARY FILE UPDATES: 25 JAN 2007 HIGHEST RN 918475-45-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

## http://www.cas.org/ONLINE/UG/regprops.html

### FILE USPATFULL

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 25 Jan 2007 (20070125/PD)
FILE LAST UPDATED: 25 Jan 2007 (20070125/ED)
HIGHEST GRANTED PATENT NUMBER: US2007015693
HIGHEST APPLICATION PUBLICATION NUMBER: US2007022507
CA INDEXING IS CURRENT THROUGH 25 Jan 2007 (20070125/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 25 Jan 2007 (20070125/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Jun 2006
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Jun 2006

### FILE AGRICOLA

FILE COVERS 1970 TO 5 Jan 2007 (20070105/ED)

Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted material. All rights reserved. (2007)

This file contains CAS Registry Numbers for easy and accurate substance identification.

#### FILE BIOSIS

FILE COVERS 1969 TO DATE.

CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs) PRESENT FROM JANUARY 1969 TO DATE.

RECORDS LAST ADDED: 24 January 2007 (20070124/ED)

FILE CABA

FILE COVERS 1973 TO 8 Jan 2007 (20070108/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

The CABA file was reloaded 7 December 2003. Enter HELP RLOAD for details.

FILE CROPB

FILE LAST LOADED: 11 NOV 94 <941111/UP>

FILE CROPU

FILE LAST UPDATED: 5 JAN 2004 <20040105/UP>

FILE COVERS 1985 TO 2003

<<< CROPU IS A STATIC FILE WITH NO UPDATES >>>

FILE ESBIOBASE

FILE LAST UPDATED: 23 JAN 2007 <20070123/UP>

FILE COVERS 1994 TO DATE.

>>> SIMULTANEOUS LEFT AND RIGHT TRUNCATION AVAILABLE IN /CC, /ORGN, AND /ST <><

FILE GENBANK

GENBANK (R) IS A REGISTERED TRADEMARK OF THE U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES.

This file contains CAS Registry Numbers for easy and accurate substance identification.

FILE IFIPAT

FILE COVERS 1950 TO PATENT PUBLICATION DATE: 16 Jan 2007 (20070116/PD)

FILE LAST UPDATED: 17 Jan 2007 (20070117/ED)

HIGHEST GRANTED PATENT NUMBER: US7165269

HIGHEST APPLICATION PUBLICATION NUMBER: US2007011793

UNITERM INDEXING IS AVAILABLE IN THE IFIUDB FILE

UNITERM INDEXING LAST UPDATED: 4 Jan 2007 (20070104/UP)

INDEXING CURRENT THROUGH PAT PUB DATE: 30 Dec 2004 (20041230/PD)

IFIPAT reloaded on 9/22/05. Enter HELP RLOAD for details.

FILE NTIS

FILE LAST UPDATED: 22 JAN 2007 <20070122/UP>

FILE COVERS 1964 TO DATE.

<<< SIMULTANEOUS LEFT AND RIGHT TRUNCATION AVAILABLE IN
THE BASIC INDEX (/BI) >>>

FILE SCISEARCH

FILE COVERS 1974 TO 25 Jan 2007 (20070125/ED)

SCISEARCH has been reloaded, see HELP RLOAD for details.